



Natural Wellness Products for All Animals



Natural Wellness Products for All Animals



Soother Plus®

TOPICAL CREAM

A nontoxic, topical antimicrobial cream with immediate antipruritic effects

USE TOPICALLY FOR

- Skin disorders
- Lick granulomas*
- Wound healing
- Viral/bacterial infections in lesions*
- Abscesses*
- Inflammation
- Self-mutilation
- Dermatitis
- Blood feathers
- Avulsed nail
- Bumblefoot*
- Wing web dermatitis

**Use in conjunction with Booster for best results*



Sunshine Factor®

DAILY DIETARY SUPPLEMENT



A natural, whole food vitamin supplement for all animals

USE ORALLY FOR

- Providing a natural, non-synthetic, whole food source of 6 forms of vitamin E, carotenoids (precursor to vitamin A) and CoQ₁₀
- Maintaining daily wellness
- Helping to prevent diseases
- Benefiting the animal's skin, eyes, heart and immune system by strengthening the overall nutritional status
- Increasing the animal's energy level, particularly in geriatric patients
- Improving the effectiveness of nonsteroidal anti-inflammatory drugs



Booster®

DIETARY SUPPLEMENT

A natural, whole food vitamin supplement with antimicrobial activity for all animals

USE ORALLY FOR

- Sick, weak or immune-compromised animals
- Upper respiratory infections
- Bacterial sepsis
- Allergies
- Microbial diseases
- Ringworm
- Pox
- Skin disorders, such as dermatitis, lick granulomas, non-healing wounds and feather destruction



Soother®

TOPICAL SPRAY / OINTMENT

A soothing, topical spray and ointment with antipruritic and anti-inflammatory effects

USE TOPICALLY FOR

- Superficial itching and minor lesions
- Skin allergies
- Urine scald
- Mange*
- Dermatitis
- Polyfolliculitis
- Broad-surface area irritation (spray)
- Soothing irritated skin
- Feather destructive behaviors*

**Use in conjunction with Booster for best results*



Booster® Concentrate

DIETARY SUPPLEMENT

A concentrated antimicrobial dietary supplement
The concentrated form of the patented monoglyceride used in Booster

USE ORALLY FOR

- Inactivating some bacteria, viruses and fungi/yeast without destroying the body's friendly bacteria or forming resistant organisms
- Biochemically balancing the body for optimal health and promoting self-healing by supporting the immune system



Rain®

TOPICAL SPRAY

A natural, nontoxic hydrating spray

USE TOPICALLY FOR

- Soothing and hydrating dry skin
- Promoting skin health
- Bringing out the natural luster of coat or feathers
- Restoring moisture to skin or coat
- A natural bath
- Reducing dust and dander
- Minor abrasions



Bird Builder®










DIETARY SUPPLEMENT

A natural trace mineral and iodine supplement

USE ORALLY FOR







- Supplementing trace minerals and iodine missing from a seed diet
- Supporting conversion to a formulated diet by fortifying thyroid function
- Improving feather strength and appearance

Indications and Usage for HEALx/AVIx Products

TOPICALS	INDICATIONS	USAGE
 Soother Plus[®] Cream	<ul style="list-style-type: none"> • May provide pain relief for bruises, trauma, muscle cramps, post-surgical incisions and self-inflicted wounds • Can be applied directly to open wounds • Offers a nonsteroidal anti-inflammatory cream for management of skin disorders • May effectively manage swelling and inflammation • Provides a nontoxic alternative to topical antibiotics • May reduce local pathologic viral, bacterial and fungal populations in lesions 	<p>Apply a thin layer topically and gently massage into the affected area. Several treatments per day may be required to manage pain. Rinse affected area with warm water every 7-10 days to avoid buildup. Discontinue use if redness or irritation occurs. Do not use with other topical or occlusive products.</p>
 Soother[®] Spray	<ul style="list-style-type: none"> • May reduce superficial itching and provide soothing topical relief for skin inflammation and irritation • Promotes healing of sensitive skin and superficial lesions often noted in early self-mutilation cases • Soothes irritated skin 	<p>Hold several inches from the affected area and apply mist. Spray animal several times a day or as directed by your veterinarian. Rinse affected area with warm water every 7-10 days to avoid buildup. Discontinue use if redness or irritation occurs. Do not use with other topical or occlusive products.</p>
 Soother[®] Ointment	<ul style="list-style-type: none"> • May provide pain relief for bruises, trauma and muscle cramps • Good for small cuts, minor injuries, broken nails and blood feathers • May effectively manage swelling and inflammation 	<p>Apply topically with a cotton-tipped applicator and massage into affected area as recommended by your veterinarian. The animal may need several treatments per day to manage pain. Rinse affected area with warm water every 7-10 days to avoid buildup. Discontinue use if redness or irritation occurs. Do not use with other topical or occlusive products.</p>
 Rain[®] Spray	<ul style="list-style-type: none"> • Promotes skin health • Brings out the natural luster of coat or feathers • Restores moisture to skin, coat or feathers • Acceptable for daily use as a natural bath • Reduces dander and dust • Hydrates dry skin 	<p>Hold spray several inches from the animal and apply mist as needed. There is no need for rinsing after application.</p>
ORAL SUPPLEMENTS	INDICATIONS	USAGE
 Sunshine Factor[®] 	<ul style="list-style-type: none"> • Is a whole food source of carotenoids (precursor to natural vitamin A, including alpha- and beta-carotene) • Is a non-synthetic source of 6 forms of vitamin E (tocopherols and tocotrienols) • Is a natural, rich source of coenzyme Q₁₀ (CoQ₁₀) compared to other oils • May benefit the animal's skin, eyes, heart and immune system by strengthening the overall nutritional status • May improve the animal's energy level, particularly in geriatric, pediatric or weak patients • Beneficial for all aspects of the skin and coat/plumage, including dry skin and brittle or dull hair or feathers • Has high antioxidant content • Contains a good balance of fatty acids • May improve the effectiveness of nonsteroidal anti-inflammatory drugs 	<p>Scoop proper dosage of semisolid Sunshine Factor[®] from jar and offer with a spoon or on food. Sunshine Factor[®] may also be liquefied by floating bottle in warm water (80°F [27°C]) for a few minutes and administering with a syringe or applying to favorite food. Administer at 0.1-0.3 ml per lb (0.45 kg) of body weight (1 tsp per 50 lb) or 0.02-0.06 ml per 100 g of body weight. Alternatively, mix 1 tsp (5 ml) liquefied Sunshine Factor[®] with 1 lb (455 g) of the animal's consumable food in a bowl and return to original bag for storage; then feed normally.</p>
 Booster[®]	<p>In addition to all the benefits of Sunshine Factor:</p> <ul style="list-style-type: none"> • May help eliminate infections without the use of oral antibiotics; works well in conjunction with antibiotic protocols • May support healing of conditions affecting the skin and plumage, such as dermatitis or feather destruction • May contribute to decreased risk of chronic diseases • Inhibits non-autochthonous life forms while allowing native GI flora to repopulate 	<p>Scoop proper dosage of semisolid Booster[®] from jar and offer with a spoon or on food. Booster[®] may also be liquefied by floating bottle in hot water (120°F [49°C]) for a few minutes and administer with a syringe or apply to food. Administer at 0.1-0.3 ml per lb (0.45 kg) of body weight (1 tsp per 50 lb) or 0.02-0.06 ml per 100 g of body weight. Alternatively, mix 1 tsp (5 ml) liquefied Booster[®] with 1 lb (455 g) of the animal's consumable food in a bowl and return to original bag for storage; then feed normally.</p>
 Booster[®] Concentrate	<p>The concentrated form of the patented monoglyceride C12 fatty acid used in Booster</p> <ul style="list-style-type: none"> • Shown in laboratories worldwide to inactivate some bacteria, viruses and fungi/yeast without destroying the body's friendly bacteria or forming resistant organisms • May biochemically balance the body for optimal health and self-healing by supporting the immune system 	<p>Booster[®] Concentrate can be consumed as a dietary supplement. Dose at 1 pellet per 500-1500 g (1-3 lb); initial dose should not exceed 3 pellets, regardless of body weight, and increased gradually. (Do not exceed 1 tsp [5 ml] per 150 lb [68 kg] unless directed by your veterinarian.) Continue use until normal body immune function is achieved or as directed by your veterinarian.</p>
 Bird Builder[®]	<ul style="list-style-type: none"> • Supplements trace minerals and iodine missing from a seed diet • May support conversion to a formulated diet by fortifying thyroid function, resulting in a normal appetite • May enhance feather strength and appearance • May reduce incidences of fatty liver disease and obesity • Helps support the body's enzymes and promote an overall healthy immune system 	<p>Add 1 oz (30 ml) Bird Builder[®] to 1 gallon (approximately 4 L) bottled drinking water; for a smaller quantity, add 0.25 oz (7.5 ml) Bird Builder[®] to 1 quart (approximately 1 L) bottled drinking water. Use as the bird's only source of drinking water. Not recommended for use with birds eating 80% or more of a formulated diet or taking iodine supplements. Follow "Best by date" from bottled drinking water used to reconstitute Builder.</p>

Individual results may vary. These products are not intended to diagnose, treat, cure, or prevent any disease.

Other Supplements

CONSUMABLES	INDICATIONS	USAGE
 Apple Cider Vinegar (non-pasteurized, non-filtered, organic) 	Helps restore normal intestinal flora. Controls many GI gram-negative bacterial and yeast problems without medications in asymptomatic animals. Fecal Gram's stain should be rechecked after 10-14 days.	Add 1 Tbsp (15 ml) apple cider vinegar to 1 quart (approx. 1 L) bottled drinking water (not distilled or spring water). Use as the animal's only source of drinking water for 10-14 days. If the animal does not drink the mixture, you can try diluting it further with more water for 2-3 days and then return proportions to the recommended level.
 Milk Thistle (alcohol-free)	Supports and protects the liver and helps restore liver health following damage from cirrhosis, hepatitis, toxicosis or fatty liver disease.	Mix 5 drops in 0.5 oz (15 ml) lactulose. Give the animal 1 drop orally per 100 g body weight twice a day. Can be safely used for months.
 Dandelion Root (alcohol-free)	Benefits may include gentle and safe stimulation of the liver into an increased state of efficiency, resulting in improved digestion and better elimination of waste from the blood and body.	Mix 5 drops in 0.5 oz (15 ml) lactulose. Give the animal 1 drop orally per 100 g body weight twice a day. <i>Only short-term use (2-3 weeks maximum) is recommended.</i>
 Echinacea (alcohol-free)	Benefits may include immune stimulation and antiviral/antibacterial effects.	Mix 5 drops in 0.5 oz (15 ml) lactulose. Give the animal 1 drop orally per 100 g body weight twice a day.
 Goldenseal (alcohol-free)	Benefits may include immune stimulation and antiviral/antibacterial effects.	Mix 5 drops in 0.5 oz (15 ml) lactulose. Give the animal 1 drop orally per 100 g body weight twice a day. <i>Only short-term use (less than 5 days) is recommended.</i>

Selected References, Further Reading and More Information

Sunshine Factor

Sundram K, Sambanthamurthi R, Tan YA: Palm fruit chemistry and nutrition. *Asia Pac J Clin Nutr.* 2003 12(3):355-62.

Boateng J, Verghese M, Chawan CB, et al: Red palm oil suppresses the formation of azoxymethane (AOM) induced aberrant crypt foci (ACF) in Fisher 344 male rats. *Food Chem Toxicol.* 2006 Oct;44(10):1667-73.

Booster and Booster Concentrate

Preuss HG, Echard B, Enig M, et al: Minimum inhibitory concentrations of herbal essential oils and monolaurin for gram-positive and gram-negative bacteria, *Mol Cell Biochem.* 2005 Apr;272(1-2):29-34.

Hornung B, Amtmann E, Sauer G: Lauric acid inhibits the maturation of vesicular stomatitis virus. *J Gen Virol.* 1994 Feb;75 (Pt 2):353-61.

Thormar H, Isaacs CE, et al: Inactivation of enveloped viruses and killing of cells by fatty acids and monoglycerides. *Antimicrob Agents Chemother.* 1987 Jan;31(1):27-31.

Soother Plus, Spray and Ointment

Cole L, Heard C: Skin permeation enhancement potential of *Aloe vera* and a proposed mechanism of action based upon size exclusion and pull effect. *Int J Pharm.* 2007 Mar 21;333 (1-2):10-6.

Carpo BG, Verallo-Rowell VM, Kabara J: Novel antibacterial activity of monolaurin compared with conventional antibiotics against organisms from skin infections: An in vitro study. *J Drugs Dermatol.* 2007 Oct;6(10):991-8.


Zhai H, Packman EW, Maibach HI: Effectiveness of ammonium solution in relieving type I mosquito bite symptoms: A double-blind, placebo-controlled study. *Acta Derm Venereol.* 1998 Jul;78(4):297-8.

Hadley HW, Fischer LA, Whitaker J: A topically applied quaternary ammonium compound exhibits analgesic effects for orthopedic pain. *Altern Med Rev.* 1998 Oct;3(5):361-6.

A more comprehensive list of peer-reviewed publications that support the scientific claims for each product is available at www.exoticdvm.com/science



Technical data and specifications on products are available at www.exoticdvm.com/technical



A CD containing clinical case studies is available upon request.



For further information contact your veterinarian or distributor

Zoological Education Network - A Harrison's Pet Products Company

PO Box 541749, Lake Worth, FL 33454-1749

800-946-4782 / 561-641-6745 Fax 561-641-0234 www.HarrisonsPetProducts.com